

GAI-Tronics

A Division of Hubbell Ltd

Declaration of Conformity

We, GAI-Tronics (a division of Hubbell Ltd.), of Brunel Drive, Stretton Business Park, Burton upon Trent, Staffordshire, England, DE13 0BZ, declare under our sole responsibility, that the following product is in conformity with the directives and standards listed below and hold the relevant technical documentation at the above address.

Product description	IECEX & ATEX Approved Hazardous Area Telephone Auteldac 4
Product part number range	212-02-2XXX-XXX

EC Directive	Standards applicable under the Directive
1999/5/EC Directive (R&TTE) Radio & Telecommunications Terminal Equipment. Equipment or Protective System Intended for use in Potentially Explosive Atmospheres Directive 94/9/EC.	EN55022:1998 Information Technology Equipment. (EMC) EN55024:1998 Information Technology Equipment. (EMC) EN 60950:2000 Information Technology Equipment. Safety I-CTR 37/ CTR 38 Pan European ETSI Handset EN60079-0:2007 - Electrical apparatus for explosive gas atmospheres Part 0: General requirements. EN60079-7:2007 - Electrical apparatus for explosive gas atmospheres Part 7: Increased safety 'e'. EN60079-11:2007 - Electrical apparatus for explosive gas atmospheres Part 11: Protection by intrinsic safety 'i'. EN60079-18:2004 - Electrical apparatus for explosive gas atmospheres Part 18: Construction, test and marking of type of protection encapsulation 'm' electrical apparatus.
2002/95/EC - Restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)	Complies
2002/96/EC 2003/108/EC Waste Electrical and Electronic Equipment Directive (WEEE)	Complies

Notified Body	Baseefa, Rockhead Business Park, Staden Lane, Buxton, Derbyshire UK. SK17 9RZ
Identification Number	1180
EC Type Examination Certificate Number	Baseefa03ATEX0617 Telephone Group II, Category 2 G (Ex e ib mb IIC T4 (-20°C ≤ T _a ≤ 55 °C)) Group II, Category 2 G (Ex e ib mb IIC T5 (-20°C ≤ T _a ≤ 50 °C)) Telephone with Headset Group II, Category 2 G (EEx e ib IIC T4 (-20°C ≤ T _a ≤ 40 °C))
IECEX Examination Certificate Number & Markings	IECEX BAS 05.0060 Ex e mb ib IIC T4 Gb (-20°C ≤ T _a ≤ 55 °C)) Ex e mb ib IIC T5 Gb (-20°C ≤ T _a ≤ 50 °C))

Date of issue	Name of authorised signatory	Signature of signatory
2 nd Feb 2011	G Lines Business Unit General Manager	